
	Document Category <b>Safety Data Sheet</b> According to 1907/2006/EC, Article 31	Approved:  Approval: Technical Manager
Prepared By: Brooke DiDomenico Administrative Control: Administrative Controller	Instruction No. <b>SDS-029</b> <b>SULFANILIC ACID</b>	Issue No: 2 Issue Date: 11/27/18 Page 1 of 12

## SECTION 1 – IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1 PRODUCT IDENTIFIER

TRADE NAME: Sulfanilic Acid  
CAS NUMBER: 121-57-3

### 1.2 RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

USAGE: Industrial intermediates for the synthesis of organic chemicals

### 1.3 DETAILS OF THE SUPPLIER OF SAFETY DATA SHEET

MANUFACTURER: NATION FORD CHEMICAL COMPANY  
2300 Banks Street  
Fort Mill, South Carolina 29715  
United States of America

EMAIL: [INFO@NATIONFORDCHEM.COM](mailto:INFO@NATIONFORDCHEM.COM)

PRODUCT INFO TELEPHONE: +1-803-548-3210

ONLY REPRESENTATIVE: Chemservice GmbH  
Herrnsheimer Hauptstr. 1b  
67550 Worms, Germany

EMAIL: [germany@chemservice-group.com](mailto:germany@chemservice-group.com)

PHONE: +49-6241-95480-0

FAX: +49 (0)6241-95480-25

### 1.4 EMERGENCY TELEPHONE NUMBER

CHEMTREC: +1-800-424-9300



## SECTION 2 - HAZARDS IDENTIFICATION

### 2.1 CLASSIFICATION OF A SUBSTANCE OR MIXTURE

Classification in accordance with Regulation (EC) No 1272/2008 and 29CFR 1910.1200 (OSHA).

Skin Irritant: Category 2	H315
Eye Irritant: Category 2A	H319
Skin Sensitizer: Category 1	H317

### 2.2 LABEL ELEMENTS

	Document Category <b>Safety Data Sheet</b> According to 1907/2006/EC, Article 31	Approved:  Approval: Technical Manager
Prepared By: Brooke DiDomenico Administrative Control: Administrative Controller	Instruction No. <b>SDS-029</b> <b>SULFANILIC ACID</b>	Issue No: 2 Issue Date: 11/27/18 Page 2 of 12

**Labelling in accordance to Regulation (EC) No 1272/2008 and 29CFR 1910 (OSHA).**

HAZARD PICTOGRAMS



GHS07

SIGNAL WORD: Warning

HAZARD STATEMENTS:

H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.

PRECAUTIONARY STATEMENTS:

P261 Avoid breathing dust.  
P264 Wash skin thoroughly after handling.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves.  
P302/352 IF ON SKIN: Wash with plenty of soap and water.  
P305/351/338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P321 Specific treatment (see supplemental first aid instructions on this label).  
P333/313 If skin irritation or rash occurs: Get medical attention.  
P337/313 If eye irritation persists: Get medical attention.  
P362/364 Take off contaminated clothing and wash before reuse.  
P501 Dispose of contents in accordance with local regulations.

**Other hazards**



RESULTS OF PBT AND vPvB ASSESSMENT:

PBT No  
vPvB No

**SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS**

**3.1 SUBSTANCES**

SUBSTANCE NAME: Sulfanilic Acid  
CAS NUMBER: 121-57-3  
EINECS NUMBER: 204-482-5  
REACH REGISTRATION NUMBER: 01-2119541820-45-0000  
INDEX NUMBER: 612-014-00-X  
PURITY: 99+%  
SYNONYMS: 4-Aminobenzenesulfonic acid  
p-anilinesulfonic acid  
Sulphanilic acid

	Document Category <b>Safety Data Sheet</b> According to 1907/2006/EC, Article 31	Approved:  Approval: Technical Manager
Prepared By: Brooke DiDomenico Administrative Control: Administrative Controller	Instruction No. <b>SDS-029</b> <b>SULFANILIC ACID</b>	Issue No: 2 Issue Date: 11/27/18 Page 3 of 12

## SECTION 4 - FIRST AID MEASURES

### 4.1 DESCRIPTION OF FIRST AID MEASURES

GENERAL INFORMATION	Immediately remove any clothing soiled by the product. Provide oxygen treatment if affected person has difficulty breathing. Take affected persons out into the fresh air.
INHALATION	If large amounts are inhaled, remove to fresh air. If breathing has stopped, give artificial respiration. If breathing is difficult, administer oxygen and call a physician.
SKIN CONTACT	Immediately wash skin with soap and copious amounts of water while removing contaminated clothing. Wash contaminated clothing before reuse.
EYE CONTACT	Immediately flush eyes with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating eyelids with fingers. Seek medical attention.
INGESTION	Do not induce vomiting. Immediate vigorous rinsing of the mouth. Drink water in small sips (dilution effect). If unconscious place in recovery position and seek immediate medical attention. Maintain an open airway. Loosen tight clothing (such as a collar, tie, belt or waistband).

### 4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Causes eye and skin irritation. May cause allergic skin reaction (sensitization.)

### 4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

NOTE TO PHYSICIAN                      Symptomatic treatment and if possible contact poison specialist.

No further relevant information available. Immediate medical attention should not be required.



## SECTION 5 – FIRE-FIGHTING MEASURES

### 5.1 EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING MEDIA	Carbon Dioxide (CO2) Powder Water Spray Fight larger fires with water spray or alcohol resistant foam
------------------------------	--

UNSUITABLE EXTINGUISHING MEDIA	Water with full jet
--------------------------------	---------------------

### 5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

	Document Category <b>Safety Data Sheet</b> According to 1907/2006/EC, Article 31	Approved:  Approval: Technical Manager
Prepared By: Brooke DiDomenico Administrative Control: Administrative Controller	Instruction No. <b>SDS-029</b> <b>SULFANILIC ACID</b>	Issue No: 2 Issue Date: 11/27/18 Page 4 of 12

The substance emits toxic fumes of carbon monoxide, carbon dioxide, and oxides of sulfur and nitrogen under fire conditions. Sulfanilic acid can produce flammable dust clouds in air. Take precautionary measures against static discharges. If involved in a fire, it may emit noxious and toxic fumes.

### 5.3 ADVICE FOR FIRE FIGHTERS

If excessive smoke or fumes are encountered, wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

Dispose of fire debris and contaminated fire-fighting water in accordance with official regulations. Collect contaminated fire-fighting water separately. It must not enter the sewage system.

## SECTION 6 – ACCIDENTAL RELEASE MEASURES

### 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Ensure suitable personal protection (including respiratory protection) during removal of spillages. Sweep up, place in drum and hold for approved waste disposal in compliance with local, state, and federal requirements. Avoid breathing dust. Avoid skin and eye contact and inhalation.

### 6.2 ENVIRONMENTAL PRECAUTIONS

Do not allow to enter drains, sewers or watercourses.

### 6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

Protect against dust. Clear up spillages, transfer to a container for disposal. Wash the spillage area clean.

### 6.4 REFERENCE TO OTHER SECTIONS

See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## SECTION 7 – HANDLING AND STORAGE



### 7.1 PRECAUTIONS FOR SAFE HANDLING

Store in well ventilated areas. Keep container tightly closed and dry. Do not store with acids. Take precautionary measures against static discharges.

### 7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

REQUIREMENTS TO BE MET BY  
STOREROOMS AND  
RECEPTACLES

Store in a dry place.  
Keep away from sources of ignition and strong oxidizing agents.  
Do not use food containers. Risk of confusion!  
Containers are clearly and permanently labelled.  
Store in the original container if possible.  
Keep container tightly closed.

	Document Category <b>Safety Data Sheet</b> According to 1907/2006/EC, Article 31	Approved:  Approval: Technical Manager
Prepared By: Brooke DiDomenico Administrative Control: Administrative Controller	Instruction No. <b>SDS-029</b> <b>SULFANILIC ACID</b>	Issue No: 2 Issue Date: 11/27/18 Page 5 of 12

**INFORMATION ABOUT STORAGE  
IN ONE COMMON STORAGE  
FACILITY**

Do not store together with acids.  
Store away from foodstuffs.  
Store away from flammable substances.

**FURTHER INFORMATION ABOUT  
STORAGE CONDINIONS:**

The storage in one common storage facility with materials belonging to another storage classes is only possible under certain conditions.  
The substance should not be stored with substances, which can lead to dangerous reactions. Keep container tightly sealed.

**7.3 SPECIFIC END USE(S)**

See exposure scenarios in Annex 1, 2, & 3

SU9	Manufacture of fine chemicals
SU10	Formulation [mixing] of preparations and/or re-packaging (excluding alloys)

**SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION**

**8.1 CONTROL PARAMETERS**

**DNEL VALUES**

DERMAL (LONG TERM EXPOSURE) 3.33 mg/kg bw/day

INHALATION (LONG TERM EXPOSURE) 6.67 mg/m<sup>3</sup>

**PNEC VALUES**

PNEC <sub>aqua</sub> (freshwater)	0.023 mg/L; Assessment factor 1000
PNEC <sub>aqua</sub> (marine water)	0.0023 mg/L; Assessment factor 10000
PNEC <sub>aqua</sub> (intermittent releases)	0.23 mg/L; Assessment factor 100
PNEC <sub>STP</sub>	100 mg/L

This product does not have an ACGIH TLV or OSHA PEL.

**INGREDIENTS WITH LIMIT VALUES  
THAT REQUIRE MONITORING AT  
THE WORK PLACE:**

Contains no substances with occupational exposure limits.



**ADDITIONAL INFORMATION:**

The lists valid during the making were used as basis.

**8.2 EXPOSURE CONTROLS:**

**PERSONAL PROTECTIVE  
EQUIPMENT GENERAL  
PROTECTIVE AND HYGIENIC  
MEASURES:**



Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.

	Document Category <b>Safety Data Sheet</b> According to 1907/2006/EC, Article 31	Approved:  Approval: Technical Manager
Prepared By: Brooke DiDomenico Administrative Control: Administrative Controller	Instruction No. <b>SDS-029</b> <b>SULFANILIC ACID</b>	Issue No: 2 Issue Date: 11/27/18 Page 6 of 12

VENTILATION:	A general exhaust system is recommended.
RESPIRATORY PROTECTION	NIOSH/MSHA approved respirator or follow the requirement of the local governing body.  In case of an accidental release it is recommended to wear respiratory protection such as particle filter P2 or P3.
HAND PROTECTION	Protective gloves according to proper IH procedures.
EYE/FACE PROTECTION	In cases where there is likelihood of eye contact, wear chemical goggles.
SKIN AND BODY PROTECTION	Protective work clothing.
ENVIRONMENTAL EXPOSURE	Product as well as with product contaminated constituents, cleaning or solvent: do not release into the environment. Dispose of as hazardous waste in accordance with EC directives on waste.

## SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

<b>Color</b>	White to light gray powder
<b>Form</b>	Solid
<b>Odour</b>	Odourless
<b>Odour threshold</b>	Not determined
<b>pH</b>	2.5
<b>Melting / Freezing Point</b>	The substance decomposes before melting.
<b>Boiling point</b>	The substance decomposes before boiling.
<b>Flash Point</b>	Not applicable
<b>Evaporation Rate</b>	Not applicable
<b>Flammability (solid, gaseous)</b>	Product is not flammable
<b>Upper Explosion Limit</b>	Not determined
<b>Lower Explosion Limit</b>	Not determined
<b>Vapour Pressure</b>	< 0.01 hPa
<b>Density</b>	1.862 g/cm <sup>3</sup>

	Document Category <b>Safety Data Sheet</b> According to 1907/2006/EC, Article 31	Approved:  Approval: Technical Manager
Prepared By: Brooke DiDomenico Administrative Control: Administrative Controller	Instruction No. <b>SDS-029</b> <b>SULFANILIC ACID</b>	Issue No: 2 Issue Date: 11/27/18 Page 7 of 12

**Solubility in / Miscibility with Water (20°C)**

12 g/l (Value used in CSA)

**Segregation coefficient (n-octanol/ water) at 25°C**

-2.3 log POW

**Ignition Temperature**

**Decomposition Temperature** ca. 288 °C

**Self-igniting**

331 °C at 1013 hPa (Value used for CSA)

**Danger of Explosion**

No data available.

**Dynamic Viscosity**

Not applicable

**Kinematic Viscosity**

Not applicable

**SECTION 10 - STABILITY AND REACTIVITY**

**10.1 REACTIVITY**

No data available.

**10.2 CHEMICAL STABILITY**

Stable at normal storage and handling conditions

**10.3 POSSIBILITY OF HAZARDOUS REACTIONS**

No data available.

**10.4 CONDITIONS TO AVOID**

No data available.


**10.5 INCOMPATIBLE MATERIALS**

Strong oxidizers, acids

**10.6 HAZARDOUS DECOMPOSITION PRODUCTS**

The substance emits toxic fumes of carbon monoxide, carbon dioxide, and oxide of sulfur and nitrogen under fire conditions. If involved in a fire, it may emit noxious and toxic fumes.



**SECTION 11 - TOXICOLOGICAL INFORMATION**

	Document Category <b>Safety Data Sheet</b> According to 1907/2006/EC, Article 31	Approved:  Approval: Technical Manager
Prepared By: Brooke DiDomenico Administrative Control: Administrative Controller	Instruction No. <b>SDS-029</b> <b>SULFANILIC ACID</b>	Issue No: 2 Issue Date: 11/27/18 Page 8 of 12

## ACUTE TOXICITY

<b>Inhalation</b>	Dust may be irritant to the upper respiratory tract.
<b>Ingestion</b>	Unlikely to be hazardous if swallowed.
<b>Eye Contact</b>	Irritating to eyes.
<b>Skin Contact</b>	Irritating to skin.
<b>Long-Term Exposure</b>	No long-term effects have been identified.
<b>Acute Oral Toxicity</b>	LD <sub>50</sub> : >2000 mg/kg bw (rat)  OECD Guideline 423 (Acute Oral Toxicity – Acute Toxic Class Method)
<b>Acute Dermal Toxicity</b>	LD <sub>50</sub> : >2000 mg/kg bw (rat)  OECD Guideline 402 (Acute Dermal Toxicity)
<b>Acute Inhalation Toxicity</b>	No study performed as exposure is highly unlikely due to low vapor pressure.
<b>Skin Irritation/Corrosion</b>	Not an irritant per testing. Classification is according to CLP Harmonized Classification.  OECD Guideline 405 (Acute Eye Irritation/Corrosion)
<b>Eye Irritation/Corrosion</b>	Rabbit ca. 2(mean) (Time Point: 24, 48, and 72h) (fully reversible)
<b>Skin Sensitization</b>	Not a sensitizer per testing. Classification is according to CLP Harmonized Classification.  OECD Guideline 429 (Skin Sensitisation: Local Lymph Node Assay)
<b>Germ Cell Metagenicity <i>in vitro</i>:</b>	Negative; <i>S. typhimurium</i> Doses: 1-1000 µg/plate  Equivalent or similar to OECD Guideline 471 (Bacterial Reverse Mutation Assay)
<b><i>in vivo</i>:</b>	Negative; mouse and rat  C. Westmoreland and D.G. Gatehouse (1991)
<b>Carcinogenicity</b>	Not a carcinogen  Borzelleca rat/mice



	Document Category <b>Safety Data Sheet</b> According to 1907/2006/EC, Article 31	Approved:  Approval: Technical Manager
Prepared By: Brooke DiDomenico Administrative Control: Administrative Controller	Instruction No. <b>SDS-029</b> <b>SULFANILIC ACID</b>	Issue No: 2 Issue Date: 11/27/18 Page 9 of 12

No component of this substance present at levels greater than or equal to 0.1% is identified as a probable, possible, or confirmed carcinogen by IARC, ACGIH, NTP or OSHA.

**Reproductive toxicity oral**

NOAEL: 1000 mg/kg bw/day

OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test)

**STOT: Single Exposure**

No Information Available

**STOT: Repeated Exposure**

No Information Available

**SECTION 12 - ECOLOGICAL INFORMATION**

**12.1 TOXICITY**

**Toxicity to Fish**

Fish (low toxicity to fish)  
LC50: 100,8 mg/L  
Exposure time: 96 h

**Toxicity to Aquatic Invertebrates**

Daphnia (Harmful to aquatic invertebrates)  
EC50: 85,7 mg/L  
Exposure time: 48 h

**12.2 PERSISTENCE AND DEGREDEABILITY**

Readily Biodegradable (Method: OECD Guideline 301D)

**12.3 BIOACCUMULATIVE POTENTIAL**

Due to the distribution coefficient n-octanol/water an accumulation in organisms is not expected.

**12.4 MOBILITY IN SOIL**

No further relative information available

**Other Information**


Elimination: COD Removal, adapted activated OECD test  
Sludge Assessment: Readily biodegradable, according to appropriate OECD test.  
Water Solubility Results: The substance is soluble in water.

**12.5 RESULTS OF PBT AND VPVB ASSESSMENT**

PBT Not applicable  
vPvB Not applicable

**12.6 OTHER ADVERSE EFFECTS**

No further relevant information available

	Document Category <b>Safety Data Sheet</b> According to 1907/2006/EC, Article 31	Approved:  Approval: Technical Manager
Prepared By: Brooke DiDomenico Administrative Control: Administrative Controller	Instruction No. <b>SDS-029</b> <b>SULFANILIC ACID</b>	Issue No: 2 Issue Date: 11/27/18 Page 10 of 12

## ECOTOXICAL EFFECTS

**Remark** The substance is substantially removed in a biological treatment process. Tests show that the inhibition of aerobic waste water bacterial is unlikely.

**Other information** Ecotoxicity: This environmental hazard assessment is based on information available on similar substances and actual test.

## ADDITIONAL ECOLOGICAL INFORMATION

**General Notes** Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system

## SECTION 13 - DISPOSAL CONSIDERATIONS

### 13.1 WASTE TREATMENT METHODS

Dispose of according to local, state, and national guidelines. Must not be disposed together with household garbage. Do not allow product to reach sewage system.

## SECTION 14 - TRANSPORT INFORMATION

Substance is not classified as dangerous for transportation.

## SECTION 15 - REGULATORY INFORMATION

**CERCLA** This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by CERCLA Title 40, Part 302.4.

**SARA 311/312** Refer to Section 2 for OSHA Hazard Classification.



**SARA 313** This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**TSCA** This substance is listed in the TSCA database.

**California Proposition 65** This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

**Chemical Safety Assessment** A Chemical Safety Assessment has been carried out

**SEVESO Substance** No

	Document Category <b>Safety Data Sheet</b> According to 1907/2006/EC, Article 31	Approved:  Approval: Technical Manager
Prepared By: Brooke DiDomenico Administrative Control: Administrative Controller	Instruction No. <b>SDS-029</b> <b>SULFANILIC ACID</b>	Issue No: 2 Issue Date: 11/27/18 Page 11 of 12

## SECTION 16 - OTHER INFORMATION

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### Date of Last Revision

**November 27, 2018**

### Further Information



All the information mentioned in this SDS are compliant with the COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

### Abbreviations and Acronyms

EC50:	Effective concentration, 50 percent
GHS:	Globally Harmonized System of Classification and Labelling of Chemicals
EINECS:	European Inventory of Existing Commercial Chemical Substances
CAS:	Chemical Abstracts Service (division of the American Chemical Society)
LC50:	Lethal concentration, 50 percent
LD50:	Lethal dose, 50 percent

### Annexes

Annex 1:	Exposure Scenario 1 – Manufacturing
Annex 2:	Exposure Scenario 2 – Manufacturing of fine chemicals
Annex 3:	Exposure Scenario 3 – Formulation

	Document Category <b>Safety Data Sheet</b> According to 1907/2006/EC, Article 31	Approved:  Approval: Technical Manager
Prepared By: Brooke DiDomenico Administrative Control: Administrative Controller	Instruction No. <b>SDS-029</b> <b>SULFANILIC ACID</b>	Issue No: 2 Issue Date: 11/27/18 Page 12 of 12

### Annex 1: Exposure Scenario 1 – Manufacturing

PROCESS	DURATION	RESPIRATORY PROTECTION	FURTHER RISK MANAGEMENT MEASURES
PROC 1: Use in a closed process, no likelihood of exposure	> 4 hours (default)	No	No
PROC 2: Use in a closed, continuous process with occasional controlled exposure	> 4 hours (default)	No	No
PROC 3: Use in a closed batch process (synthesis or formulation)	> 4 hours (default)	No	No
PROC 4: Use in a batch and other process (synthesis) where opportunity for exposure arises	> 4 hours (default)	90%	Gloves: 80% effective
PROC 8A: Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities	1 – 4 hours	90%	Gloves: 80% effective
PROC 8B: Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities	> 4 hours (default)	90%	Gloves: 80% effective

Setting – Industrial; Form – Solid; Dustiness – High; Ventilation – Indoor w/o LEV;

### Annex 2: Exposure Scenario 2 – Manufacturing of Fine Chemicals

PROCESS	DURATION	RESPIRATORY PROTECTION	FURTHER RISK MANAGEMENT MEASURES
PROC 3: Use in a closed batch process (synthesis or formulation)	> 4 hours (default)	No	No
PROC 4: Use in a batch and other process (synthesis) where opportunity for exposure arises	> 4 hours (default)	No	No
PROC 15: Use of laboratory reagents in small scale laboratories	> 4 hours (default)	No	No

Setting – Industrial; Form – Solid; Dustiness – High; Ventilation – Indoor w/o LEV;

### Annex 3: Exposure Scenario 3 – Formulation

PROCESS	DURATION	RESPIRATORY PROTECTION	FURTHER RISK MANAGEMENT MEASURES
PROC 4: Use in a batch and other process (synthesis) where opportunity for exposure arises	> 4 hours (default)	90%	Gloves: 80% effective